



Color Match Sample Information

Person in charge of color approval: (Architect, Consultant, Owner) circle one

Company: _____

Contact: _____

Address: _____

Phone: _____

Fax: _____

Email: _____

Building or Project Name: _____

Address: _____

Type of Masonry: (i.e.: Brownstone, Limestone, Brick, Terra Cotta, Precast, Pointing Mortar, etc.)

Purchaser/Contractor name: _____

Contact: _____

Address: _____

Phone: _____

Fax: _____

Email: _____

PLEASE ANSWER THE FOLLOWING QUESTIONS ABOUT YOUR SAMPLE:

1. Will the building be cleaned? circle one Yes No

2. Has the sample been cleaned? circle one Yes No

Note: We do not clean samples. If the building has or will be cleaned, the sample to be matched must also be clean.

3. For your sample, would you like the:

____ Closest Standard Corinthian Restoration Mortar™ – Stock mix designs (no charge for match)

____ Custom Corinthian Restoration Mortar™ – Custom colors (Prepaid \$250 fee applied)

Submitted by: (Signature) _____

(OVER)



WHEN SUBMITTING MASONRY SAMPLES FOR CORINTHIAN COLOR SELECTION, PLEASE DO THE FOLLOWING:

- 1. TAKE SAMPLE(S):** Select locations that represent typical color and texture. Send a sample for each color needed. SEND A CLEANED SAMPLE, IF BUILDING WILL BE CLEANED.
- 2. MARK SAMPLE(S):** The surface to be matched must be clearly indicated.
- 3. COMPLETE SAMPLE INFORMATION FORM:** Project Manager or Architect must complete the front of this form and return it. One form should be completed for each sample being sent. We cannot begin to process your samples until we receive the form(s).
- 4. SEND SAMPLE(S) AND FORM(S) TO:**
 - Corinthian Cast Stone, Inc.
 - 115 Wyandanch Ave
 - Wyandanch NY 11798
 - Phone (631) 920-2340
 - Fax: (631) 920-2343
 - Ref: Masonry Samples

Allow (2) Weeks for Color Matching.

YOU WILL RECEIVE:

- One or more Corinthian Restoration Mortar™ sample(s).
- Instructions for how to evaluate sample.

We will notify you if we determine that a Standard Corinthian Cast Stone, Inc. color matches your masonry sample.

